

### **Statistics on Abstinence**

- 54% of high school students are virgins. (1)
- 58% on teens surveyed recently said sexual activity for high school-age teens is not acceptable, even if precautions are taken against pregnancy and sexually transmitted diseases. (2)
- 82% of teens desire to have one marriage partner for life. (3)
- 63% of teens who have had sexual intercourse said they wish they had waited. (4)
- 87% of teens do not think it is embarrassing for teens to say that they are virgins. (5)

Behavioral Risks Associated with Virginity/Nonvirginity Males 12-16

Results: the risk for nonvirginal boys was...

- 6 times higher for ever having used alcohol
- Nearly 5 times higher for smoking marijuana
- Nearly 7 times higher for dropping out
- Nearly 4 times higher for getting arrested

Behavioral Risks Associated with Virginity/Nonvirginity Girls 12-16

Results: the risk for nonvirginal girls was...

- 6 times higher for ever having used alcohol
- More than 10 times higher for smoking marijuana
- Nearly 4 times higher for dropping out
- 9 times higher for getting arrested
- 6 times higher for having thoughts of suicide (6)

If you have sex before you marry your are more likely to:

- 1. Breakup before you marry
- 2. Scare off someone who wants to marry a virgin
- 3. Be less happy in your marriage
- 4. Get a divorce
- 5. Commit adultery after you marry
- 6. Be fooled into marrying for the wrong reason
- 7. Be less satisfied with your married sex life
- 8. Have guilt feelings that may nudge you into a poor marriage
- 9. Be deprived of the important bonding that sexual intimacy can give a marriage (7)

#### **Sources for Abstinence**

- (1) Centers for Disease Control and Prevention. (2002). Youth risk behavior surveillance.
- (2) National Campaign to Prevent Teen Pregnancy. (2000). The Cautious Generation? Teens Tell Us About Sex, Virginity, and "The Talk". Washington, DC: Author.
- (3) Barna Research, 1998
- (4) National Campaign to Prevent Teen Pregnancy. (2000). Not Just Another Thing to Do: Teens Talk About Sex, Regret, and the Influence of Their Parents. Washington, DC: Author.
- (5) National Campaign to Prevent Teen Pregnancy. (2000). The cautious generation? Teens tell us about sex, virginity and "the talk." Washington, DC: Author.
- (6) Donald Orr, "Premature Sexual Activity as an Indicator of Psychological Risk," Pediatrics, Vol. 87, No. 2, Feb. 1991, pp.141-7
- (7) Ray E. Short, Sex, Dating, and Love 1994 Augsburg Publishing House



### **Statistics on Teen Pregnancy**

Nearly 1 million teen girls get pregnant every year. (1)

Approximately 4 in 10 girls will become pregnant in the United States at least once before the age of 20 (2)

7 out of 10 adolescent mothers drop out of high school (3)

The U.S. has the highest rates of teen pregnancy, birth, and abortion in the industrialized world. (4)

Nearly 40% of the fathers of children born to teen mothers are age 20 or older. (5)

Children of teens are more likely to do poorly in school, more likely to drop out of school, and less likely to attend college. (6)

Nearly 80% of teen boys who father children do not marry the mother of their child and pay less than \$800 annually in child support. (7)

#### **Sources for Teen Pregnancy**

- (1) National Campaign Analysis of Henshaw, S.K. (2003)
- (2) National Campaign to Prevent Teen Pregnancy, 1997. Whatever Happened to Childhood? The Problem of Teen Pregnancy in the United States. Washington, DC.
- (3) Sexual Health Update, winter 1998, Vol. 6 No. 3, Medical Institute.
- (4) Singh, S., & Darroch, J.E. (2000). Adolescent pregnancy and childbearing: Levels and trends in developed countries. Family Planning Perspectives, 32(1), 14-23.
- (5) National Campaign to Prevent Teen Pregnancy. (1997). Whatever Happened to Childhood? The Problem of Teen Pregnancy in the United States. Washington, DC: Author.
- (6) Maynard, R.A. (Ed.), Kids Having Kids: A Robin Hood Foundation Special Report on the Costs of Adolescent Childbearing, New York: Robin Hood Foundation, 1996.
- (7) National Campaign to Prevent Teen Pregnancy. (1997). Whatever Happened to Childhood? The Problem of Teen Pregnancy in the United States. Washington, DC: Author.



#### **Statistics on STDs**

Every year, there are approximately 18.9 million new cases of STDs (51,780 per day)(10,000 teens per day)

48-percent of all STDs occur in people 25 years of age or younger.

It is estimated that as many as one in four Americans have genital herpes, yet at least 80% of those with herpes are unaware they have it.

At least 15% of all infertile American women are infertile because of tubal damage caused by pelvic inflammatory disease (PID), the result of an untreated STD.

Less than half of adults ages 18 to 44 have ever been tested for an STD other than HIV / AIDS. (1)

In the 60s only syphilis and gonorrhea were common. Today there are at least 30 STDs, and at least eight new pathogens have been identified since 1980, including HIV.

Of sexually active teens, 50 percent have HPV, 20-percent, and 10-percent have Chlamydia.

Nearly all cases of cervical cancer in women are caused by the Human Papilloma Virus and Condoms provide little to no protection against this disease. (2)

#### **Sources for STDs**

- (1) American Social Health Association
- (2) Medical Institute for Sexual Health



### Statistics on Drugs, Sex, and Alcohol

About 75% of the men and at least 55% of the women involved in acquaintance rapes had been drinking or taking drugs just before the attack. (1)

Teens 14 and younger who use alcohol are twice as likely to have sex than those who don't.

Teens 14 and younger who use drugs are four times likelier to have sex than those who don't.

Teens 15 and older who drink are seven times likelier to have sexual intercourse and twice as likely to have it with four or more partners than non-drinking teens.

Teens 15 and older who use drugs are five times likelier to have sexual intercourse and three times likelier to have it with four or more partners than those who don't.

63% of teens who use alcohol and 70% of teens who are frequent drinkers have had sex, compared to 26% of those who never drank.

72% of teens who use drugs and 81% of those who use them heavily have had sex, compared to 36% who never used drugs. (2)

#### Sources for Drugs, Sex and Alcohol

- (1) Source: Robin Warshaw. 1994. I Never Called It Rape: The Ms. Report on Recognizing, Fighting and Surviving Date and Acquaintance Rape. New York: HarperPerennial.
- (2) The National Center on Addiction and Substance Abuse at Columbia University (CASA)



### **Statistics on Rape**

A woman is sexually assaulted every 2 minutes in America

- 86% of rapes are committed by someone the survivor knows.
- **38%** of date rape survivors are females between the ages of 14 to 17.
- 42.5% of assaults happen in the victim's own home.
- 78% of teens do not tell their parents that they have been raped.
- 71% of rape survivors tell a friend.
- Only 3% of rapes result in pregnancy.

Rape rates are highest in states which have high pornography sales and lax enforcement of pornography laws. (1)

In a Rhode Island study with high school students, over 50% of males and 42% of females agreed that there were times when it was "acceptable for a male to hold a female down and physically force her to engage in intercourse".(2)

75% of women raped are between the ages of 15 and 21. The average age is 18. (3)

1 in 4 sexual assaults takes place in the victim's home, making it the most common place for an assault to take place. 3 out of 5 sexual assaults occur at night, with the largest proportion occurring between 6:00pm and midnight.(4)

About 75% of the men and at least 55% of the women involved in acquaintance rapes had been drinking or taking drugs just before the attack. (5)

1 out of 4 girls and 1 out of 6 boys are sexually abused before age 18. (6)

Girls who are sexually abused often suffer from a traumatic and profound lack of self-esteem. These girls engage in disempowering and self-defeating behaviors, which can propel them into a cycle of prostitution, addiction, drug dealing and violence. (7)

More than 70% of girls in the juvenile justice system or in shelters have histories of sexual abuse and assault.(8)

Child sexual abuse is more frequent within families than outside families: disabled children are especially at risk of sexual abuse. especially from people they already know. (9)

The average age for the onset of a sexually abusive relationship is 6-8 yrs old.

Reports of molestation of very young children are increasing: more than one-third of all child victims may be 5 years old or younger: children as young as one week old have been molested. (10)

- 2 percent of completed rapes occur by classmates or friends. (11)
- 57 percent of rapes occur while out on a date. (12)



### **Statistics on Rape** (continued)

#### **Sources for Rape**

- (1) Legitimate Violence and Rape: A Test of the Cultural Spillover Theory," 1985.
- (2) The Rape, Abuse & Incest National Network. RAINNstat. RAINN Web site
- (3) Source: National Victim Center and Crime Victims Research and Treatment Center, Rape in America: A Report to the Nation, 1992.
- (4) Source: Crime and Crime Prevention Statistics
- (5) Source: Robin Warshaw. 1994. I Never Called It Rape: The Ms. Report on Recognizing, Fighting and Surviving Date and Acquaintance Rape. New York: HarperPerennial.
- (6) Journal of Traumatic Stress
- (7) Research on Women and girls in the Justice System Series, 2000
- (8) The US Department of Justice Coordinating Council on Juvenile Justice an Delinquency Prevention Action Plan Update (Oct, 2001)
- (9) Sexual Assault Center. Seattle: National Council for Prevention of Child Abuse. 1979
- (10) Sexual Assault Center. Seattle: Child Protective Services, Seattle: Department of Health and Hospitals, City of Boston, 1984
- (11) The Rape, Abuse & Incest National Network. RAINNstat. RAINN Web site.
- (12) Curtis DG. Perspectives on Acquaintance Rape. The American Academy of Experts in Traumatic Stress (AAETS) Web site.